

August 23, 2021

Minowa Shikko Co., Ltd.  
11-25 Kudashicho,  
Echizen-city,  
Fukui Prefecture,  
Japan

Dear All,

### Novel Coronavirus Decreased by More than 99.9%

We would like to inform you that we confirmed antiviral effect of *urushi* against novel coronavirus (SARS CoV-2) by applying it on the test plate and measuring virus infectivity titer.


#### Test Summary

Antiviral effect of *urushi* against novel coronavirus (SARS-CoV-2) has been verified by the test conducted at General Incorporated Association Japan Textile Products Quality and Technology Center, in which our *urushi* was applied on a test plate.

The testing procedure applied 'ISO21702 Measurement of antiviral activity on plastics and other non-porous surfaces' (Figure 1). The plate applied with *urushi* and the intact plate were both contacted with the coronavirus, and after 24 hours, the infectivity titers of virus (the number of viral particles with cell infectivity) recovered from them were measured. The test has revealed that the novel coronavirus on the *urushi*-applied plate decreased by more than 99.9% in comparison with the virus on the plate without *urushi* on it (Figure 2).


- (1) Testing Institution: General Incorporated Association Japan Textile Products Quality and Technology Center (Government designated inspection agency)
- (2) Test Method: ISO21702 Measurement of antiviral activity on plastics and other non-porous surfaces
- (3) Tested Virus: Severe acute respiratory syndrome coronavirus 2 (novel coronavirus)
- (4) Materials used for the test: Acrylic plate 50mm × 50mm applied with *urushi*, an intact plate
- (5) Result: More than 99.9% reduction in the infectivity titer of virus

Figure 2  
Image Diagram



The same number of novel coronavirus particles was inoculated onto the surface of *urushi*-applied acrylic plate and intact plate respectively. Comparing the number of A with B after 24 hours has resulted in more than 99.9% reduction rate.

Figure 1



Provided by General Incorporated Association Japan Textile Products Quality and Technology Center

\* About handling of the report

We do not permit any unauthorized duplication, unauthorized reproduction or unauthorized secondary use of this published contents including the test result. We also refuse unauthorized links to or from the website on which the report posted.

Please note that the company is in no way concerned with, or responsible for, any third party that reproduces, uses, or indicates links to or from, the report or contents of the report without our permission.

Please be aware that if you indicate the result of this report in association with specific products, such indications might be considered as an indication of the therapeutic efficacy or preventive effect on a particular disease and there is a high possibility that your indication will come into conflict with the laws, such as the Premiums and Representations Act (Act against Unjustifiable Premiums and Misleading Representations) and Pharmaceutical Affairs Law (Law for Ensuring the Quality, Efficacy, and Safety of Drugs and Medical Devices).

The test result has been obtained by using our *urushi* that is natural and refined by traditional techniques. Not all *urushi* products or lacquer products will have the same outcome.